



Brute Strength. Professional Grade.™

SAFETY DATA SHEET

GorillaPro™ NSCU

Version 1.0

Revision Date 08/21/2020

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : GorillaPro™ NSCU
Product code : 100000013124

Manufacturer or supplier's details

Company : H.B. Fuller Engineering Adhesives
Address : 9001 W Fey Drive
Frankfort, IL, 60423
Telephone : 1-815-464-5606

Medical Emergency Phone Number (24 Hours): 1-888-853-1758

Transport Emergency Phone Number (CHEMTREC): 1-800-424-9300

Recommended use of the chemical and restrictions on use

Recommended use : Lubricant
Restrictions on use : For industrial use only.

SECTION 2. HAZARDS IDENTIFICATION

Emergency Overview

Appearance	paste
Color	Copper
Odor	characteristic

GHS Classification

Not a hazardous substance or mixture.

GHS label elements

Not a hazardous substance or mixture.

Potential Health Effects

Carcinogenicity:

IARC No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.
OSHA No component of this product present at levels greater than or



Brute Strength. Professional Grade.™

SAFETY DATA SHEET

GorillaPro™ NSCU

Version 1.0

Revision Date 08/21/2020

NTP

equal to 0.1% is on OSHA's list of regulated carcinogens. No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Hazardous ingredients

Chemical name	CAS-No.	Concentration [%]
copper	7440-50-8	30 - 50
Graphite	7782-42-5	20 - 30

Actual concentration is withheld as a trade secret

SECTION 4. FIRST AID MEASURES

- General advice : Show this material safety data sheet to the doctor in attendance.
- If inhaled : Move to fresh air.
Keep patient warm and at rest.
Consult a physician after significant exposure.
- In case of skin contact : Wash off immediately with soap and plenty of water.
Call a physician if irritation develops or persists.
- In case of eye contact : Rinse immediately with plenty of water, also under the eyelids.
Seek medical advice.
- If swallowed : If swallowed, call a poison control center or doctor immediately.
Do not induce vomiting without medical advice.

SECTION 5. FIRE-FIGHTING MEASURES

- Suitable extinguishing media : Carbon dioxide (CO2)
Sand
Foam
- Unsuitable extinguishing media : Water
- Hazardous combustion products : No hazardous combustion products are known



Brute Strength. Professional Grade.™

SAFETY DATA SHEET

GorillaPro™ NSCU

Version 1.0

Revision Date 08/21/2020

- Specific extinguishing methods :
 Further information : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
- Special protective equipment for fire-fighters : Wear an approved positive pressure self-contained breathing apparatus in addition to standard fire fighting gear.

SECTION 6. ACCIDENTAL RELEASE MEASURES

- Personal precautions, protective equipment and emergency procedures : Refer to protective measures listed in sections 7 and 8. Ensure adequate ventilation.
- Environmental precautions : Prevent product from entering drains. Do not flush into surface water or sanitary sewer system.
- Methods and materials for containment and cleaning up : Ventilate the area. Soak up with inert absorbent material. Do not flush with water. Shovel or sweep up.

SECTION 7. HANDLING AND STORAGE

- Local/Total ventilation : Use only with adequate ventilation.
- Advice on safe handling : Wear personal protective equipment. Do not get on skin or clothing. Keep away from heat and flame.
- Conditions for safe storage : Keep containers tightly closed in a dry, cool and well-ventilated place. Store in original container.
- Materials to avoid : Do not store together with oxidizing and self-igniting products.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis



Brute Strength. Professional Grade.™

SAFETY DATA SHEET

GorillaPro™ NSCU

Version 1.0

Revision Date 08/21/2020

copper	7440-50-8	TWA (dusts and mists)	1 mg/m ³	OSHA Z-1
		TWA (Fumes)	0.1 mg/m ³	OSHA Z-1
		TWA	1 mg/m ³	ACGIH
		TWA (dust and mists)	1 mg/m ³	NIOSH REL
		TWA	1 mg/m ³	OSHA P0
		TWA	0.2 mg/m ³	ACGIH
		TWA	0.1 mg/m ³	OSHA P0
		TWA (Dust and mist)	1 mg/m ³	ACGIH
		TWA (Fumes)	0.2 mg/m ³	ACGIH
		TWA (Dust)	1 mg/m ³	NIOSH REL
		TWA (Mist)	1 mg/m ³	NIOSH REL
		TWA (dusts and mists)	1 mg/m ³	OSHA Z-1
		TWA (Fumes)	0.1 mg/m ³	OSHA Z-1
		PEL (Fumes)	0.1 mg/m ³	CAL PEL
		TWA (Fumes)	0.1 mg/m ³	OSHA P0
		TWA (Dust and mist)	1 mg/m ³	OSHA P0
Graphite	7782-42-5	TWA (Respirable)	2.5 mg/m ³	NIOSH REL
		TWA (Dust)	15 Million particles per cubic foot	OSHA Z-3
		TWA (Total)	10 mg/m ³	OSHA P0
		TWA (Respirable fraction)	5 mg/m ³	OSHA P0
		TWA (total dust)	15 mg/m ³	OSHA Z-1
		TWA (respirable fraction)	5 mg/m ³	OSHA Z-1
		TWA (Respirable particulate matter)	2 mg/m ³	ACGIH
		TWA (Respirable fraction)	2.5 mg/m ³	OSHA P0
		TWA (Total dust)	10 mg/m ³	OSHA P0



Brute Strength. Professional Grade.™

SAFETY DATA SHEET

GorillaPro™ NSCU

Version 1.0

Revision Date 08/21/2020

		TWA (respirable dust fraction)	5 mg/m ³	OSHA P0
		PEL (Total dust)	10 mg/m ³	CAL PEL
		PEL (respirable dust fraction)	5 mg/m ³	CAL PEL
		TWA (respirable dust fraction)	2.5 mg/m ³	OSHA P0
		PEL (Respirable dust)	2.5 mg/m ³	CAL PEL

Personal protective equipment

Respiratory protection : Use respiratory protection unless adequate local exhaust ventilation is provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines.

Filter type : Combined particulates and organic vapor type

Hand protection
Material : Impervious gloves

Eye protection : Tightly fitting safety goggles
Ensure that eyewash stations and safety showers are close to the workstation location.

Skin and body protection : Long sleeved clothing
Preventive skin protection

Protective measures : Avoid contact with skin.

Hygiene measures : Avoid contact with skin, eyes and clothing.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : paste
Color : Copper
Odor : characteristic
Odor Threshold : No data available
Melting point/freezing point : is not determined
Boiling point/boiling range : is not determined



Brute Strength. Professional Grade.™

SAFETY DATA SHEET

GorillaPro™ NSCU

Version 1.0

Revision Date 08/21/2020

Evaporation rate	:	is not determined
Flammability (solid, gas)	:	Not classified as a flammability hazard
Upper explosion limit	:	Upper flammability limit is not determined
Lower explosion limit	:	Lower flammability limit is not determined
Density	:	1.2 g/cm ³
Solubility(ies)	:	
Water solubility	:	is not determined
Partition coefficient: n- octanol/water	:	No data available
Autoignition temperature	:	is not determined
Viscosity	:	
Viscosity, kinematic	:	is not determined

SECTION 10. STABILITY AND REACTIVITY

Chemical stability	:	The product is chemically stable.
Hazardous decomposition products	:	Nitrogen oxides (NO _x) Sulfur oxides

SECTION 11. TOXICOLOGICAL INFORMATION

Acute toxicity

No data available

Skin corrosion/irritation

No data available

Serious eye damage/eye irritation

No data available

Respiratory or skin sensitization

No data available

Germ cell mutagenicity

No data available

Carcinogenicity



Brute Strength. Professional Grade.™

SAFETY DATA SHEET

GorillaPro™ NSCU

Version 1.0

Revision Date 08/21/2020

No data available

Reproductive toxicity

No data available

STOT-single exposure

No data available

STOT-repeated exposure

No data available

Aspiration toxicity

No data available

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

No data available

Persistence and degradability

No data available

Bioaccumulative potential

Mobility in soil

No data available

Other adverse effects

No data available

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues

: Do not dispose of together with household waste.
Do not dispose of waste into sewer.
To the best of our knowledge, this product does not meet the definition of hazardous waste under the U.S. EPA Hazardous Waste Regulations 40 CFR 261. Disposal via incineration at an approved facility is recommended, as industry best practice. Consult state, local or provincial authorities for more restrictive requirements.



Brute Strength. Professional Grade.™

SAFETY DATA SHEET

GorillaPro™ NSCU

Version 1.0

Revision Date 08/21/2020

SECTION 14. TRANSPORT INFORMATION

Special precautions for user

Not applicable

Domestic regulation

49 CFR

UN/ID/NA number : 3077
Proper shipping name : Other regulated substances, solid, n.o.s.
(COPPER METAL POWDER)
Class : 9
Packing group : III
Labels : 9
ERG Code : 171
Marine pollutant : no

International Regulations

UNRTDG

Not regulated as a dangerous good

IATA-DGR

Not regulated as a dangerous good

IMDG-Code

Not regulated as a dangerous good

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

SECTION 15. REGULATORY INFORMATION

SARA 311/312 Hazards : No SARA Hazards

SARA 302 : This material does not contain any components with a section 302 EHS TPQ.

SARA 313 : The following components are subject to reporting levels established by SARA Title III, Section 313:

copper

7440-50-8



Brute Strength. Professional Grade.™

SAFETY DATA SHEET

GorillaPro™ NSCU

Version 1.0

Revision Date 08/21/2020

Clean Air Act

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 112 (40 CFR 61).

US State Regulations

California Prop 65 : Please contact Supplier for more information.

The ingredients of this product are reported in the following inventories:


TSCA All substances listed as active on the TSCA inventory
DSL All components of this product are on the Canadian DSL
Inventories Legend TSCA (USA), DSL (Canada), REACH(Europe), AICS (Australia), NZIoC (New Zealand), ENCS (Japan), KECI (Korea), PICCS (Philippines), IECSC (China), TWINV (Taiwan)

SECTION 16. OTHER INFORMATION

Prepared by: Global Regulatory Department - phone: 1-651-236-5842 - email: msds.request@hbfuller.com

Further information

NFPA:



HMIS III:

HEALTH	0
FLAMMABILITY	1
PHYSICAL HAZARD	0

0 = not significant, 1 = Slight,
2 = Moderate, 3 = High
4 = Extreme, * = Chronic

The information and recommendations set forth herein are believed to be accurate. Because some of the information is derived from information provided to the H.B. Fuller Company from its suppliers, and because the H.B. Fuller Company has no control over the conditions of handling and use, the H.B. Fuller Company makes no warranty, expressed or implied, regarding the accuracy of the data or the results to be obtained from the use thereof. The information is supplied solely for your information and consideration, and the H.B. Fuller Company assumes no responsibility for use or reliance thereon. It is



Brute Strength. Professional Grade.™

Print Date 08/28/2020
Page 10 of 10

SAFETY DATA SHEET

GorillaPro™ NSCU

Version 1.0

Revision Date 08/21/2020

the responsibility of the user of H.B. Fuller Company products to comply with all applicable federal, state and local laws and regulations.