

SAFETY DATA SHEET

GorillaPro® AT150

Version 1.2

Revision Date 12/09/2022

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Product name	:	GorillaPro® AT150
Product code	:	100000013122

Manufacturer or supplier's details

Company	:	H.B. Fuller Engineering Adhesives
Address	:	9001 W Fey Drive Frankfort, IL, 60423
Telephone	:	1-815-464-5606

Medical Emergency Phone Number (24 Hours): 1-888-853-1758

Transport Emergency Phone Number (CHEMTREC): 1-800-424-9300

Recommended use of the chemical and restrictions on use

Recommended use	:	Anaerobic Cure Adhesive
Restrictions on use	:	For industrial use only.

SECTION 2. HAZARDS IDENTIFICATION

Emergency Overview

Appearance	liquid
Color	red
Odor	characteristic

GHS Classification

Signal Word

Skin irritation Eye irritation Skin sensitization Specific target organ toxicity - single exposure	 Category 2 Category 2A Category 1 Category 3 (Respiratory system)
GHS label elements	
Hazard pictograms	

: Warning



SAFETY DATA SHEET

GorillaPro® AT150

Version 1.2

Revision Date 12/09/2022

Hazard Statements:

H315 Causes skin irritation. H317 May cause an allergic skin reaction. H319 Causes serious eye irritation. H335 May cause respiratory irritation.

Precautionary Statements:

Prevention: P261 Avoid breathing mist or vapors. P264 Wash skin thoroughly after handling. P271 Use only outdoors or in a well-ventilated area. P272 Contaminated work clothing must not be allowed out of the workplace. P280 Wear protective gloves/ eye protection/ face protection. **Response:** P302 + P352 IF ON SKIN: Wash with plenty of soap and water. P304 + P340 + P312 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/ doctor if you feel unwell. P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention. P337 + P313 If eye irritation persists: Get medical advice/ attention. P362 Take off contaminated clothing and wash before reuse.

Storage: P403 + P233 Store in a well-ventilated place. Keep container tightly closed. P405 Store locked up.

Disposal: P501 Dispose of contents/ container to an approved waste disposal plant.

Potential Health Effects

Carcinogenicity:

IARC	Group 2B: Possibly carcinogenic cumene	to humans 98-82-8
OSHA	No component of this product equal to 0.1% is on OSHA's lis	present at levels greater than or t of regulated carcinogens.
NTP	Reasonably anticipated to be a human carcinogen	
	cumene	98-82-8

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Hazardous ingredients

Chemical name	CAS-No.	Concentration [%]
2-phenoxyethyl methacrylate	10595-06-9	30 - 50
Poly(oxy-1,2-ethanediyl), .alpha(2-methyl-1-oxo- 2-propenyl)omega[(2-methyl-1-oxo-2- propenyl)oxy]-	25852-47-5	30 - 50
methacrylic acid, monoester with propane-1,2-diol	27813-02-1	30 - 50
α,α-dimethylbenzyl hydroperoxide	80-15-9	0.1 - 1
cumene	98-82-8	0.1 - 1
2'-phenylacetohydrazide	114-83-0	0.1 - 1
maleic acid	110-16-7	0.1 - 1
Actual concentration is withheld as a trade secret		



SAFETY DATA SHEET

GorillaPro® AT150

Version 1.2

Revision Date 12/09/2022

SECTION 4. FIRST AID MEASURES

General advice	Show this material safety data sheet to the doctor in attendance.	
If inhaled	Move to fresh air. Keep patient warm and at rest. Consult a physician after significant exposure.	
In case of skin contact	Wash off immediately with soap and plenty of water. Call a physician if irritation develops or persists.	
In case of eye contact	Rinse immediately with plenty of water, also under the eye Seek medical advice.	əlids.
If swallowed	If swallowed, call a poison control center or doctor immediately. Do not induce vomiting without medical advice.	

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media	: Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.
Unsuitable extinguishing media	: Water spray jet
Hazardous combustion products Specific extinguishing methods	: Nitrogen oxides (NOx) Sulfur oxides :
Further information	: Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Special protective equipment for fire-fighters	: Wear an approved positive pressure self-contained breathing apparatus in addition to standard fire fighting gear.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and	: Refer to protective measures listed in sections 7 and 8. Ensure adequate ventilation.
emergency procedures Environmental precautions	 Prevent product from entering drains. Do not flush into surface water or sanitary sewer system.



SAFETY DATA SHEET

GorillaPro® AT150

Shovel or sweep up.

Version 1.2	Revision Date 12/09/2022		
Methods and materials for containment and cleaning up	: Ventilate the area. Soak up with inert absorbent material.		

SECTION 7. HANDLING AND STORAGE

Local/Total ventilation	: Use only with adequate ventilation.
Advice on safe handling	: Wear personal protective equipment. Do not get on skin or clothing. Keep away from heat and flame.
Conditions for safe storage	: Keep containers tightly closed in a dry, cool and well- ventilated place. Store in original container.
Materials to avoid	: Do not store together with oxidizing and self-igniting products.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
cumene	98-82-8	TWA	5 ppm	ACGIH
		TWA	50 ppm 245 mg/m3	NIOSH REL
		TWA	50 ppm 245 mg/m3	OSHA Z-1
		TWA	50 ppm 245 mg/m3	OSHA P0
		PEL	50 ppm 245 mg/m3	CAL PEL

Personal protective equipment

Respiratory protection	: Use respiratory protection unless adequate local exhaust ventilation is provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines.
Filter type	: Combined particulates and organic vapor type



Print Date 12/12/2022 Page **5** of **10**

SAFETY DATA SHEET

GorillaPro® AT150				
Version 1.2	Revision Date 12/09/2022			
Hand protection				
Material	: Neoprene gloves			
	Nitrile rubber			
	butyl-rubber			
Eye protection	: Tightly fitting safety goggles Ensure that eyewash stations and safety showers are close to the workstation location.			
Skin and body protection	: Long sleeved clothing Preventive skin protection			
Protective measures	: Avoid contact with skin.			
Hygiene measures	: Avoid contact with skin, eyes and clothing.			

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance Color Odor Odor Threshold	: liquid : red : characteristic : no data available
рН	: is not determined
Melting point/freezing point	: is not determined
Boiling point/boiling range	: is not determined
Flash point Evaporation rate Flammability (solid, gas)	 Not applicable is not determined Not classified as a flammability hazard
Upper explosion limit	: Upper flammability limit is not determined
Lower explosion limit	: Lower flammability limit is not determined
Vapor pressure	: is not determined
Density Solubility(ies)	: 1.06 g/cm3
Water solubility	: is not determined
Partition coefficient: n- octanol/water	: no data available



Brute Strength. Professional Grade."

SAFETY DATA SHEET

Revision Date 12/09/2022	
: is not determined	
: is not determined	
	: is not determined

Chemical stability	: The product is chemically stable.
Hazardous decomposition products	: Nitrogen oxides (NOx) Sulfur oxides

SECTION 11. TOXICOLOGICAL INFORMATION

Acute toxicity

Product:	
Acute oral toxicity	: Acute toxicity estimate : > 5,000 mg/kg Method: Calculation method
Acute inhalation toxicity	: Acute toxicity estimate : > 200 mg/l Exposure time: 4 h Test atmosphere: vapor Method: Calculation method
Components:	
α,α-dimethylbenzyl hydrope Acute oral toxicity	eroxide: : LD50 Oral Rat: 382 mg/kg
Acute inhalation toxicity	: LC50 Rat: 220 ppm Exposure time: 4 h Test atmosphere: vapor
Acute dermal toxicity	: LD50 Dermal Rat: 500 mg/kg
cumene: Acute oral toxicity	: LD50 Oral Rat: 1,400 mg/kg
maleic acid: Acute oral toxicity	: LD50 Oral Rat: 708 mg/kg



SAFETY DATA SHEET

Varian 4.0	GorillaPro® AT150	
Version 1.2	Revision Date 12/09/2022	
Acute dermal toxicity	: LD50 Dermal Rabbit: 1,560 mg/kg	
Skin corrosion/irritation		
No data available		
Serious eye damage/eye irr	itation	
No data available		
Respiratory or skin sensitiz	ation	
No data available		
Germ cell mutagenicity		
No data available		
Carcinogenicity		
No data available		
Reproductive toxicity		
No data available		
STOT-single exposure		
No data available		
STOT-repeated exposure		
No data available		
Aspiration toxicity		
No data available		

Ecotoxicity

<u>Components:</u> methacrylic acid, mon	oester with propane-1,2-diol :
Toxicity to fish	: LC50 (Fish): 493 mg/l Exposure time: 48 h Test Method: static test
α,α-dimethylbenzyl hy	droperoxide :
Toxicity to fish	: LC50 (Oncorhynchus mykiss (rainbow trout)): 3.9 mg/l Exposure time: 96 h Test Method: static test



SAFETY DATA SHEET

GorillaPro® AT150			
Version 1.2	Revision Date 12/09/2022		
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia magna (Water flea)): 7 mg/l Exposure time: 24 h Test Method: static test		
cumene :			
Toxicity to fish	 LC50 (Oncorhynchus mykiss (rainbow trout)): 2.7 mg/l Exposure time: 96 h Test Method: semi-static test 		
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia magna (Water flea)): 0.6 mg/l Exposure time: 48 h Test Method: static test		
Toxicity to algae	: EC50 (Pseudokirchneriella subcapitata (microalgae)): 2.6 mg/l Exposure time: 72 h Test Type: flow-through test		
maleic acid :			
Toxicity to fish	: LC50 (Pimephales promelas (fathead minnow)): 5 mg/l Exposure time: 96 h Test Method: static test		
Persistence and degradability			
No data available Bioaccumulative potential			
Mobility in soil			
No data available			
Other adverse effects			
No data available			

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods	
Waste from residues	 Do not dispose of together with household waste. Do not dispose of waste into sewer. To the best of our knowledge, this product does not meet the definition of hazardous waste under the U.S. EPA Hazardous Waste Regulations 40 CFR 261. Disposal via incineration at an approved facility is recommended, as industry best practice. Consult state, local or provincial authorities for more restrictive requirements.



SAFETY DATA SHEET

GorillaPro® AT150

Version 1.2

Revision Date 12/09/2022

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG Not regulated as a dangerous good

IATA-DGR

Not regulated as a dangerous good

IMDG-Code

Not regulated as a dangerous good

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not applicable for product as supplied.

Domestic regulation

49 CFR Not regulated as a dangerous good

SECTION 15. REGULATORY INFORMATION

SARA 311/312 Hazards	Respiratory or skin sensitization Skin corrosion or irritation Serious eye damage or eye irritation Specific target organ toxicity (single or repeated exposure)	
SARA 302	This material does not contain any components with a section 302 EHS TPQ.	
SARA 313	: The following components are subject to reporting levels established by SARA Title III, Section 313:	
	2-phenoxyethyl methacrylate	10595-06-9
	1,2-benzisothiazol-3(2H)-one 1,1-	81-07-2
	dioxide	
	cumene	98-82-8

Clean Air Act

The following chemical(s) are listed as HAP under the U.S. Clean Air Act, Section 112 (40 CFR 61):

2-phenoxyethyl methacrylate		10595-06-9
	9 / 10	



SAFETY DATA SHEET

GorillaPro® AT150

Version 1.2

Revision Date 12/09/2022

cumene

98-82-8


US State Regulations	
California Prop 65	Please contact Supplier for more information.

The ingredients of this product are reported in the following inventories:TSCAAll substances listed as active on the TSCA inventory

IECSC On the inventory, or in compliance with the inventory **Inventories Legend**TSCA (USA), DSL (Canada), REACH(Europe), AIIC (Australia), NZIoC (New Zealand), ENCS (Japan), KECI (Korea), PICCS (Philippines), IECSC (China), TWINV (Taiwan)

SECTION 16. OTHER INFORMATION

Prepared by: Global Regulatory Office - phone: 1-651-236-5842 - email: msds.request@hbfuller.com



The information and recommendations set forth herein are believed to be accurate. Because some of the information is derived from information provided to the H.B. Fuller Company from its suppliers, and because the H.B. Fuller Company has no control over the conditions of handling and use, the H.B. Fuller Company makes no warranty, expressed or implied, regarding the accuracy of the data or the results to be obtained from the use thereof. The information is supplied solely for your information and consideration, and the H.B. Fuller Company assumes no responsibility for use or reliance thereon. It is the responsibility of the user of H.B. Fuller Company products to comply with all applicable federal, state and local laws and regulations.